



Age based pain evaluation guide

Pain assessment and management is complex process, as it thoroughly rely on understanding of the patient's experience. This includes not only the physical aspects of pain but also psychological, emotional, and social factors.⁽¹⁾

Effective pain management requires selection of appropriate pain assessment tools and medication:

Pain assessment tools selection: ⁽¹⁻⁶⁾

Selection of an appropriate pain assessment tool. The choice depends on factors such as:

- Patient's age,
- Cognitive function,
- Communication ability:

Scales	Child								Adolescent			Adult	Elderly
	0	2	4	6	8	10	12	14	16	18	19-64	65+	
FLACC	■	■	■	■	■								
FPS-r		■	■	■	■	■	■						
Wong baker			■	■	■	■	■		■	■	■		
APPT					■	■	■		■	■	■		
VAS				■	■	■	■		■	■	■	■	
NRS					■	■	■		■	■	■	■	
McGill Pain							■		■	■	■	■	
IPTs												■	
VDS												■	
Abbey												■	



- 1. FLACC (Face, Legs, Activity, Cry, Consolability)**
(Each category (Face, Legs etc) is scored on a 0-2 scale, total pain score from 0 to 10⁽²⁾)
- 2. Face Pain Scale-revised (FPS-r);**
(Pain intensity; visual representation of faces indicating pain levels from score 0-10⁽³⁾)



- 1. Wong-Baker FACES Scale**
(Pain intensity; series of faces scoring from 0 (smiling face) to 10 (crying face))⁽³⁾
- 2. Adolescent Pediatric Pain Tool (APPT)**
(Intensity, location, and quality of pain)



- 1. Visual Analog Scale (VAS)**
(Pain intensity; series of faces indicating varying pain levels from 0 (no pain) to 10 (worst pain) ⁽²⁾)
- 2. Numeric Rating Scale (NRS)**
(Pain intensity; scores 0-5, 0-10, 0-20, or 0-100 (0 = No pain and 5, 10, 20, 100 = extreme pain)⁽⁴⁾)
- 3. McGill Pain Questionnaire**
(Sensory and affective pain experience)⁽⁵⁾



- 1. Visual Descriptor Scales (VDS)**
(Usually have 4-6 descriptor anchors. Pain thermometers are an example of a VDS.)
- 2. Iowa Pain Thermometer-revised (IPT-r)**
(Pain intensity; Score 0-10 indicating no pain to The most intense pain)
- 3. Abbey Pain Scale**
(18 points scales with scoring 0-2 none 3-7 mild 8-13 moderate 14+ severe)^(4,7)

Effective pain management requires selection of appropriate pain assessment tools and medication:

Selection of OTC medication:

Pain relief medications vary widely in their suitability across different age groups.



1. Panadol children
2. Advil kids



1. Panadol Advance
2. Panadol Extra
3. Voltaren 1% & 2% gel
4. Advil liqui-gel



1. Panadol Joint
2. Panadol Extra
3. Voltaren 1% & 2% gel
4. Advil liqui-gel

Pain medication available across age groups

Use OTC cautiously in case of:

1. Other concurrent medications, including natural remedies
2. Pre-existing medical conditions such as hypertension, diabetes, GI sensitivities and renal complications
3. Smoking/alcohol consumption
4. Patient >65^(8,9)
5. Allergies

References:

1. Claire Ford, Adult pain assessment and management. BJN, 2019.
2. Canadian Cancer Society (CCS) Assessing pain by age and developmental level last accessed 21-Oct-2024.
3. Sansone L et al., Pain Evaluation and Treatment in Children: A Practical Approach; Children. 2023; 10(7):1212.
4. Booker SQ. Assessment and Measurement of Pain in Adults in Later Life. Clin Geriatr Med. 2016 Nov;32(4):677-692.
5. Srouji R, Pain in Children: Assessment and Nonpharmacological Management. Int J Pediatr. 2010.
6. Schwerin DL. EMS Pain Assessment And Management, StaPearls, last updated July 21, 2023.
7. Royal college of nursing. Assessment of Pain in Older People: UK National Guidelines Dr Julie Gregory.
8. Barkin RL. Pharmacist's evolving role in the nonopioid, over-the-counter, analgesic selection process. Am J Ther. 2015;22(6):423-30.
9. Hunt RH, Choquette D, Craig BN, et al. Approach to managing musculoskeletal pain: acetaminophen, cyclooxygenase-2 inhibitors, or traditional NSAIDs?. Can Fam Physician. 2007;53(7):1177-84.

For Healthcare professionals only, Always read label before use. If you wish to report any adverse event, product quality complaint, or Medical enquiry, please contact us at mystory.ae@haleon.com or +973 16500 404. Item Code: PM-BH-ADV-24-00001 | Preparation date: Dec 2024

Brought to you by



#ListenToPain